

ariel1 ariel

Discrimination report

Schneider

Information

Name : ariel1
First name : ariel
Company :
Customer :

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein.


This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof.

Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

Discrimination diagram

Discrimination status :



Range	Acti9 iC60	Acti9 iC60		
Designation/Fuse technology	iC60N	iC60N		
Rating (A)	40 A	10 A		
Trip unit	C	C		
Trip unit rating	40 A	10 A		
Trip class				
Long delay settings				
Ir	40 A	10 A		
Tr	NA	NA		
Short delay settings				
I _{sd}	320 A	80 A		
T _{sd}	NA	NA		
Instantaneous tripping				
I _i	NA	NA		
Discrimination Status	Upstream	Discrimination limit: 320A		

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein.

This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof.

Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.